


# EWNM-SST

Wing nuts



ELESA Original design



## technical informations

### Material

AISI 304 stainless steel, sandblasted matte finish.

### Standard executions

- EWNM-SST: threaded blind hole.
- EWNM-SST-FP: threaded pass-through hole.
- EWNM-SST-p: threaded pin.

### Special executions on request

Different threadings.

### Features and applications

These wing nuts allow high tightening torque values.

### Ergonomy and design

The slightly concave marks on the wings help to position the fingers in order to apply the maximum force when tightening.

Ergostyle		Main dimensions						Mounting hole		Weight
Code	Description	D	L	d <sub>1</sub>	l <sub>2</sub>	b	l <sub>3</sub>	d	h	g
222002	EWNM-SST-40-M5	40	21	13.5	5.5	6.5	19	M5	12	31
222004	EWNM-SST-40-M6	40	21	13.5	5.5	6.5	19	M6	12	31
222012	EWNM-SST-48-M6	48	24	13.5	6	7	22	M6	15	41
222014	EWNM-SST-48-M8	48	24	13.5	6	7	22	M8	15	40
222022	EWNM-SST-55-M8	55	28	16	7	8	25	M8	18	62
222024	EWNM-SST-55-M10	55	28	16	7	8	25	M10	18	61

Ergostyle		Main dimensions						Mounting hole			Weight
Code	Description	D	L	d <sub>1</sub>	l <sub>2</sub>	b	l <sub>3</sub>	d	h	d <sub>2 H13</sub>	g
222001	EWNM-SST-40-FP-M5	40	21	13.5	5.5	6.5	19	M5	8	5.3	30
222003	EWNM-SST-40-FP-M6	40	21	13.5	5.5	6.5	19	M6	10	6.4	29
222011	EWNM-SST-48-FP-M6	48	24	13.5	6	7	22	M6	10	6.4	40
222013	EWNM-SST-48-FP-M8	48	24	13.5	6	7	22	M8	13	8.4	39
222021	EWNM-SST-55-FP-M8	55	28	16	7	8	25	M8	13	8.4	59
222023	EWNM-SST-55-FP-M10	55	28	16	7	8	25	M10	16	10.5	57

Ergostyle		Main dimensions						Threaded stud		Weight
Code	Description	D	L	d <sub>1</sub>	l <sub>2</sub>	b	l <sub>3</sub>	d	l	g
222101	EWNM.40-SST-pM5x16	40	21	13.5	5.5	6.5	19	M5	16	32
222103	EWNM.40-SST-pM5x20	40	21	13.5	5.5	6.5	19	M5	20	36
222105	EWNM.40-SST-pM5x25	40	21	13.5	5.5	6.5	19	M5	25	40
222111	EWNM.40-SST-pM6x16	40	21	13.5	5.5	6.5	19	M6	16	35
222113	EWNM.40-SST-pM6x20	40	21	13.5	5.5	6.5	19	M6	20	42
222115	EWNM.40-SST-pM6x25	40	21	13.5	5.5	6.5	19	M6	25	46
222131	EWNM.48-SST-pM6x16	48	24	13.5	6	7	22	M6	16	44
222133	EWNM.48-SST-pM6x20	48	24	13.5	6	7	22	M6	20	50
222135	EWNM.48-SST-pM6x25	48	24	13.5	6	7	22	M6	25	54
222141	EWNM.48-SST-pM8x16	48	24	13.5	6	7	22	M8	16	46
222143	EWNM.48-SST-pM8x20	48	24	13.5	6	7	22	M8	20	50
222145	EWNM.48-SST-pM8x25	48	24	13.5	6	7	22	M8	25	52
222161	EWNM.55-SST-pM8x20	55	28	16	7	8	25	M8	20	55
222163	EWNM.55-SST-pM8x25	55	28	16	7	8	25	M8	25	58
222165	EWNM.55-SST-pM8x30	55	28	16	7	8	25	M8	30	61
222171	EWNM.55-SST-pM10x20	55	28	16	7	8	25	M10	20	53
222173	EWNM.55-SST-pM10x25	55	28	16	7	8	25	M10	25	56
222175	EWNM.55-SST-pM10x30	55	28	16	7	8	25	M10	30	60



